



CeRam-Kote 54 SF Part A

Safety Data Sheet

according to Regulation (EU) No. 2015/830

Date of issue: 07/02/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : CeRam-Kote 54 SF Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Ceram-Kote Coatings, Inc.
1800 Industrial Drive
Big Spring, TX 79721-2119
T 432-263-8497

1.4. Emergency telephone number

For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident
Call CHEMTREC Day or Night, Ref: Contract #CCN664812
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 001-703-527-3887 (collect calls accepted)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Skin Sens. 1 H317

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction

Precautionary statements (CLP) :

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P264 - Wash thoroughly after handling
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302+P352 - IF ON SKIN: Wash with plenty of water
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

CeRam-Kote 54 SF Part A

Safety Data Sheet

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ceramic materials and wares, chemicals	(CAS No) 66402-68-4 (EC no) 266-340-9	15 - 35	Not classified
Phenol, polymer with formaldehyde, glycidyl ether	(CAS No) 28064-14-4 (EC no) 608-164-0	10 - 30	Not classified
Aluminum oxide	(CAS No) 1344-28-1 (EC no) 215-691-6	16 - 20	Not classified
Titanium dioxide	(CAS No) 13463-67-7 (EC no) 236-675-5	5 - 10	Not classified
1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with (chloromethyl)oxirane	(CAS No) 30499-70-8 (EC no) 608-489-8	5 - 10	Not classified
Poly[oxy(methyl-1,2-ethanediyl)], .alpha.,.alpha',.alpha."-1,2,3-propanetriyltris[.omega.- (oxiranylmethoxy)-	(CAS No) 37237-76-6 (EC no) 609-366-1	5 - 10	Not classified
Dimethyl silicone polymer with silica	(CAS No) 67762-90-7 (EC no) 614-122-2	1 - 3	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
First-aid measures after skin contact	: Wash with flowing water. Remove contaminated clothing and laundry before re-wearing. If irritation persists, seek medical attention.
First-aid measures after eye contact	: Flush with running water for at least 15 minutes. Seek medical attention.
First-aid measures after ingestion	: DO NOT induce vomiting. Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: None under normal product handling.
Symptoms/injuries after skin contact	: Exposure causes skin irritation. Symptoms may include: allergic skin reaction. Overexposure to this material has been suggested as a cause of the following effects in humans, and may aggravate pre-existing disorders of these organs: skin sensitization.
Symptoms/injuries after eye contact	: Exposure may cause mild eye irritation. Symptoms may include stinging, tearing, and redness.
Symptoms/injuries after ingestion	: Single dose oral toxicity is low. Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water fog, CO ₂ , or dry chemical
Unsuitable extinguishing media	: None.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No special fire hazards are known to be associated with this product.
Explosion hazard	: None known.

5.3. Advice for firefighters

Protection during firefighting	: Firefighters should wear full protective gear. Water or foam may cause frothing which can be violent and possibly endanger the life of the firefighter. Water may be used to keep fire-exposed containers cool until fire is out. Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.
--------------------------------	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

CeRam-Kote 54 SF Part A

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

For containment : Stop the flow of material, if this is without risk.

Methods for cleaning up : Small Spill: Absorb paste on vermiculite, floor absorbent or other absorbent material.

Large Spill: Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source, dike area of spill to prevent spreading, pump liquid to salvage tank. Place in an approved container and dispose in accordance with local, state and federal regulations.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes, skin and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed and in a cool, well-ventilated area.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ceramic materials and wares, chemicals (66402-68-4)		
Czech Republic	Expoziční limity (PEL) (mg/m ³)	2.0 mg/m ³
Latvia	OEL TWA (mg/m ³)	2 mg/m ³
Slovakia	NPHV (priemerná) (mg/m ³)	2 mg/m ³ (respirable fraction, 5% or less fibrogenic component) 10 mg/m ³ (respirable fraction, greater than 5% fibrogenic component) 10 mg/m ³ (total aerosol)
Aluminum oxide (1344-28-1)		
Austria	MAK (mg/m ³)	5 mg/m ³ (alveolar dust, respirable fraction, smoke)
Austria	MAK Short time value (mg/m ³)	10 mg/m ³ (alveolar dust, respirable fraction, smoke)
Belgium	Limit value (mg/m ³)	1 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
Denmark	Grænseværdie (langvarig) (mg/m ³)	5 mg/m ³ (total) 2 mg/m ³ (respirable)
Estonia	OEL TWA (mg/m ³)	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
France	VME (mg/m ³)	10 mg/m ³
Greece	OEL TWA (mg/m ³)	10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction)
Hungary	AK-érték	6 mg/m ³ (respirable dust)
Latvia	OEL TWA (mg/m ³)	6 mg/m ³ (disintegration aerosol)
Lithuania	IPRV (mg/m ³)	5 mg/m ³ (inhalable fraction) 2 mg/m ³ (respirable fraction)
Poland	NDS (mg/m ³)	2.5 mg/m ³ (inhalable fraction) 1.2 mg/m ³ (respirable fraction)
Portugal	OEL TWA (mg/m ³)	10 mg/m ³ (particulate matter containing no Asbestos and < 1% Crystalline silica)
Romania	OEL TWA (mg/m ³)	2 mg/m ³ (aerosol)
Romania	OEL TWA (ppm)	0.5 ppm (aerosol)
Romania	OEL STEL (mg/m ³)	5 mg/m ³ (aerosol) 10 mg/m ³ (dust) 3 mg/m ³ (fume)
Romania	OEL STEL (ppm)	1.2 ppm (aerosol)
Slovakia	NPHV (priemerná) (mg/m ³)	1.5 mg/m ³ (fume) 1.5 mg/m ³ 0.1 mg/m ³ (regulated under .gamma.-Aluminum oxide-respirable fraction)
Spain	VLA-ED (mg/m ³)	10 mg/m ³

CeRam-Kote 54 SF Part A

Safety Data Sheet

Aluminum oxide (1344-28-1)		
Sweden	nivågränsvärde (NVG) (mg/m ³)	5 mg/m ³ (total dust) 2 mg/m ³ (respirable dust)
Norway	Grenseverdier (AN) (mg/m ³)	10 mg/m ³ (equal to the standard for nuisance dust)
Norway	Grenseverdier (Korttidsverdi) (mg/m ³)	10 mg/m ³ (equal to the standard for nuisance dust)
Switzerland	VME (mg/m ³)	3 mg/m ³ (respirable dust, smoke)
Switzerland	VLE (mg/m ³)	24 mg/m ³ (respirable dust, smoke)
Australia	TWA (mg/m ³)	10 mg/m ³ (containing no asbestos and <1% crystalline silica-inhalable dust)
Canada (Quebec)	VEMP (mg/m ³)	10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust)
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
Titanium dioxide (13463-67-7)		
Austria	MAK (mg/m ³)	5 mg/m ³ (alveolar dust, respirable fraction)
Austria	MAK Short time value (mg/m ³)	10 mg/m ³ (alveolar dust, respirable fraction)
Belgium	Limit value (mg/m ³)	10 mg/m ³
Bulgaria	OEL TWA (mg/m ³)	10.0 mg/m ³ (respirable dust)
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
Denmark	Grænseværdie (langvarig) (mg/m ³)	6 mg/m ³
Estonia	OEL TWA (mg/m ³)	5 mg/m ³
France	VME (mg/m ³)	10 mg/m ³
Greece	OEL TWA (mg/m ³)	10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction)
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³ (total inhalable dust) 4 mg/m ³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m ³)	30 mg/m ³ (calculated-total inhalable dust) 12 mg/m ³ (calculated-respirable dust)
Latvia	OEL TWA (mg/m ³)	10 mg/m ³
Lithuania	IPRV (mg/m ³)	5 mg/m ³
Poland	NDS (mg/m ³)	10.0 mg/m ³ (<2% free crystalline silica and containing no asbestos-inhalable fraction)
Portugal	OEL TWA (mg/m ³)	10 mg/m ³
Romania	OEL TWA (mg/m ³)	10 mg/m ³
Romania	OEL STEL (mg/m ³)	15 mg/m ³
Spain	VLA-ED (mg/m ³)	10 mg/m ³
Sweden	nivågränsvärde (NVG) (mg/m ³)	5 mg/m ³ (total dust)
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ (total inhalable) 4 mg/m ³ (respirable)
United Kingdom	WEL STEL (mg/m ³)	30 mg/m ³ (calculated-total inhalable) 12 mg/m ³ (calculated-respirable)
Norway	Grenseverdier (AN) (mg/m ³)	5 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (mg/m ³)	5 mg/m ³
Switzerland	VME (mg/m ³)	3 mg/m ³ (respirable dust)
Australia	TWA (mg/m ³)	10 mg/m ³ (containing no asbestos and <1% crystalline silica-inhalable dust)
Canada (Quebec)	VEMP (mg/m ³)	10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust)
USA - ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³
USA - IDLH	US IDLH (mg/m ³)	5000 mg/m ³
USA - OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust)

8.2. Exposure controls

Appropriate engineering controls

: General dilution ventilation and/or exhaust ventilation should be provided as necessary to maintain exposures below regulatory limits.

CeRam-Kote 54 SF Part A

Safety Data Sheet

Hand protection	: Wear chemical resistant gloves such as neoprene or natural rubber gloves.
Eye protection	: Chemical goggles
Skin and body protection	: Wear suitable working clothes
Respiratory protection	: If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Colour	: No data available
Odour	: Aromatic
Odour threshold	: No data available
pH	: Slightly acidic
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.3 °C (200°F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ~1.32
Solubility	: Insoluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

None.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

May form: carbon dioxide and carbon monoxide, and aldehydes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Aluminum oxide (1344-28-1)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

CeRam-Kote 54 SF Part A

Safety Data Sheet

Titanium dioxide (13463-67-7)

LD50 oral rat	> 10000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

CeRam-Kote 54 SF Part A

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Ceramic materials and wares, chemicals is listed

SZW-lijst van mutagene stoffen : Ceramic materials and wares, chemicals is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product